

# WEST Search History





DATE: Tuesday, September 22, 2009

**Hide?** **Set Name** **Query**
**Hit Count**
*Interference**DB=PGPB,USPT,UPAD; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L13	L10 and (optimizer.clm. or optim \$.clm.)	1
--------------------------	-----	---	---

*DB=PGPB; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L12	L10 and (optimizer.clm. or optim \$.clm.)	1
--------------------------	-----	---	---

*DB=PGPB,USPT,UPAD; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L11	L10 and (optimizer.clm. or optim @.clm.)	1
--------------------------	-----	--	---

<input type="checkbox"/>	L10	L9 and syntax.clm.	3
--------------------------	-----	--------------------	---

<input type="checkbox"/>	L9	compil \$.clm. and (intrinsic function).clm.	10
--------------------------	----	--	----

<input type="checkbox"/>	L8	20060195828	1
--------------------------	----	-------------	---

<input type="checkbox"/>	L7	7337301.pn.	1
--------------------------	----	-------------	---

*Prior Art**DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*

<input type="checkbox"/>	L6	L5 and syntax	85
--------------------------	----	---------------	----

<input type="checkbox"/>	L5	L4 and optimi\$	153
--------------------------	----	-----------------	-----

<input type="checkbox"/>	L4	compil\$ and (intrinsic function)	213
--------------------------	----	-----------------------------------	-----

<input type="checkbox"/>	L3	L1 and (intrinsic function)	44
--------------------------	----	-----------------------------	----

<input type="checkbox"/>	L2	10/807374	1
--------------------------	----	-----------	---

<input type="checkbox"/>	L1	717/140-144,151-154.cccls.	3400
--------------------------	----	----------------------------	------

END OF SEARCH HISTORY

Web Images Videos Maps News Shopping Gmail more ▾

Search settings | Sign in



Search

Advanced Search

Web Show options...

Results 1 - 10 of about 25,800 for **compiling "intrinsic function"**. (0.38 seconds)

### [HP 3000 Manuals](#)

159 **COMPILE-TIME** Illegal number and/or types of arguments to **ERROR intrinsic function CAUSE**  
 The number or types of arguments to an intrinsic routine are ...  
[docs.hp.com/cgi-bin/docid/B3150190021\\_12118/210](http://docs.hp.com/cgi-bin/docid/B3150190021_12118/210) · Cached · Similar

[Why pgf90 can not recognize some intrinsic function when compiling?](#)

Nov 26, 2005 ... Here below is some part of the codes: ... such codes can be compiler by compaq visual fortran, ...  
[coding.derkeiler.com/Archive/Fortran/.../msg01018.html](http://coding.derkeiler.com/Archive/Fortran/.../msg01018.html) · Cached · Similar

[Issue 17 - llvm-py - calling LLVM intrinsic function fails ...](#)

I've been trying to get llvm-py to compile on my Mac (OS X 10.4.11, ... How do I call an LLVM intrinsic function? Andrew dalke@dalkescientific.com ...  
[code.google.com/p/llvm-py/issues/detail?id=17](http://code.google.com/p/llvm-py/issues/detail?id=17) · Cached · Similar

[Intrinsic function - Wikipedia, the free encyclopedia](#)

In compiler theory, an **intrinsic function** is a function available in a given ... when **compiling** for 64 bit Windows, therefore intrinsics are necessary. ...  
[en.wikipedia.org/wiki/Intrinsic\\_function](http://en.wikipedia.org/wiki/Intrinsic_function) · Cached · Similar

[Tobias Burnus - \[patch, fortran\] fixes for the EXIT intrinsic ...](#)

Feb 23, 2007 ... gfortran dg/subroutine-exit-compile.i90: New test. .... Re: [patch, fortran] fixes for the EXIT intrinsic function (PR30933) ...  
[gcc.gnu.org/ml/fortran/2007-02/msg00538.html](http://gcc.gnu.org/ml/fortran/2007-02/msg00538.html) · Similar

[\[PDF\] Microsoft PowerPoint - 20090308\\_GPGPU2\\_bjang2](#)

File Format PDF/Adobe Acrobat · View as HTML  
 Mar 8, 2009 ... compile. (b) after using intrinsic dot function. Use of **Intrinsic Function t5 = t12.x \* vx.x + t12.y \* vx.y; t6 = t12.z \* vy.x + t12.y \* vy.y; ...**  
[www.ece.neu.edu/groups/hucae/GPGPU/GPGPU-2/Jang.pdf](http://www.ece.neu.edu/groups/hucae/GPGPU/GPGPU-2/Jang.pdf) · Similar

[Debug annotations - US Patent 6874140 Claims](#)

generating annotation information from an **intrinsic function** call in the source code, ... **compiling** the executable computer program, wherein the annotation ...  
[www.patentsform.us/patents/6874140/claims.html](http://www.patentsform.us/patents/6874140/claims.html) · Similar

[Intel® Fortran compiler - random number intrinsic function RAN ...](#)

Mar 9, 2009 ... The Intel Fortran compiler elemental **intrinsic function RAN** will ... the sample program above and **compiling** with the Intel Fortran compiler, ...  
[software.intel.com/...the-intel-fortran-compiler-random-number-intrinsic-function-ran-may-malfunction/](http://software.intel.com/...the-intel-fortran-compiler-random-number-intrinsic-function-ran-may-malfunction/) · Cached · Similar

[Using math-oriented callable services](#)

If you **compile** using ARITH(EXTEND), CEESQACS returns the same result as ACOS. ... Both the RANDOM **intrinsic function** and CEERANO service generate random ...  
[publib.boulder.ibm.com/infocenter/com\\_zip/parl37a.htm](http://publib.boulder.ibm.com/infocenter/com_zip/parl37a.htm) · Cached · Similar

[\(Complete\) Compile Time Error Chart for Macintosh QuickBasic \(43020\)](#)

14 Missing argument An **intrinsic function** was called without enough arguments. 15 Numeric overflow This occurs when an expression resolved at **compile time** ...  
[basic.phatcode.net/kbase/macqb/aeozo.htm](http://basic.phatcode.net/kbase/macqb/aeozo.htm) · Cached · Similar

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Search settings](#) | [Sign in](#)[Search](#)[Advanced Search](#)[Web](#) [Show options...](#)Results 11 - 20 of about 25,800 for **compiling "intrinsic function"**. (0.06 seconds)[\\_rdtsc\(\) intrinsic function in Windows server 2003 sp1 DDK ...](#)

10 posts · 2 authors

Hi, does anyone know how to make use of the **\_rdtsc()** **intrinsic function** defined in ... what do we need to do additionally for x86 build to **compile** correctly? ...  
[www.fechtalkz.com/.../252585-\\_rdtsc-intrinsic-function-windows-server-2003-sp1-ddk.html](http://www.fechtalkz.com/.../252585-_rdtsc-intrinsic-function-windows-server-2003-sp1-ddk.html) - Cached - Similar

[VC++ 2005 Beta 2 \(.NET & Winsock\)](#)

7 posts · 2 authors · Last post: Aug 24, 2005

I tried **compiling** the following simple code with cl /CLR:pure ... The function uses inline assembler or an unsupported **intrinsic function** ...  
[social.msdn.microsoft.com/.../2d628bef-d1c8-4855-bb9c-6b7ab0846250](http://social.msdn.microsoft.com/.../2d628bef-d1c8-4855-bb9c-6b7ab0846250) - Cached - Similar

[Intrinsic function and xc16x.h header](#)

5 posts · 2 authors · Last post: Jan 6, 2005

I cannot get through a problem concerning the **intrinsic function** ... The **compiling** fails. Also, using both of them will obviously fail, ...  
[www.kell.com/forum/docs/thread5477.asp](http://www.kell.com/forum/docs/thread5477.asp) - Cached - Similar

[File fordef.for and Its Usage](#)

You can **compile** this program with any value of -fopen. **Intrinsic function** FP\_CLASS helps to find and replace denormalized numbers with zeroes before the ...  
[www.ncsa.illinois.edu/.../Compilers/8.1/f...ug11\\_fordef.htm](http://www.ncsa.illinois.edu/.../Compilers/8.1/f...ug11_fordef.htm) - Cached - Similar

[can't include \\_alloca as an intrinsic function - .NET Framework ...](#)

5 posts · 3 authors · Last post: Dec 4, 2006

**compile** my code with the include of <malloc.h> have no problem but .... The "real" **intrinsic function** are documented here ...  
[bytes.com/.../667412-can't-include-\\_alloca-intrinsic-function](http://bytes.com/.../667412-can't-include-_alloca-intrinsic-function) - Cached - Similar

[ppt\) DAC Presentation kit](#)File Format: Microsoft Powerpoint - [View as HTML](#)

Develop C/C++ code with **Intrinsic function** calls; **Compile** and link the C/C++ code and the DSP Simulator to form a Matlab executable file; Debug and evaluate ...  
[videos.dac.com/42nd/slides/36-2.ppt](http://videos.dac.com/42nd/slides/36-2.ppt) - Similar

[Solaris Developer](#)

Jun 22, 2007 ... You can tell that this is a non-standard intrinsic by **compiling** with ... be used as an **intrinsic function** if you use the -xknown\_lib flag. ...  
[blogs.sun.com/.../entry/new\\_article\\_fortran\\_library\\_functions](http://blogs.sun.com/.../entry/new_article_fortran_library_functions) - Cached - Similar

[Extending LLVM: Adding instructions, intrinsics, types, etc.](#)

Jump to **Adding a new intrinsic function: Adding a new intrinsic function** to LLVM is much easier ... If your new node can be evaluated at **compile** time ...  
[llvm.org/docs/ExtendingLLVM.html](http://llvm.org/docs/ExtendingLLVM.html) - Cached - Similar

[Intrinsic function numval returns erroneous results - System ...](#)

10 posts · 4 authors · Last post: Jul 25, 2007

After you raised the **Intrinsic function** question, I'm encouraged to ... 3) Try to **compile** the program using exactly same Parameters as in ...  
[forums.systeminetwork.com/lanse/thread.php?t...](http://forums.systeminetwork.com/lanse/thread.php?t...) - Cached - Similar

[Matthias Kretz - Re: SIMD intrinsic function \\_mm\\_store\\_si128 ...](#)

Aug 24, 2009 ... Try **compiling** with -msse4a instead. Dunno what you're working on, ... What's the legal **intrinsic function** in GCC to store a \_\_m128i vector ...  
[gcc.gnu.org/ml/gcc-help/2009-08/msg00257.html](http://gcc.gnu.org/ml/gcc-help/2009-08/msg00257.html) - Cached - Similar